
## IntelliJ Usage & Shortcuts

[crayon-661efa8ea525a431615638/]
Change Themes

#### Auto Build

For IntelliJ IDEA 12+ releases we can build automatically the edited sources if we are using the external compiler option. The only thing needed is to check the option "Build project automatically", located under "Compiler" settings:



Also, if you would like to hot deploy, while the application is running or if you are using spring boot devtools you should enable the compiler.automake.allow.when.app.running from registry too. This will automatically compile your changes.


For versions greater than 2021.2, we need check 'Allow automake to start even id the development application is currently

#### running' option:

🖳 Settings X					
		Advanced Settings		$\leftarrow \rightarrow$	
Editor Inspections File and Code Templates File Encodings Live Templates File Types		Q∗       Search advanced settings         Compiler	Show modified only		
Android Layout Editor > Copyright > Inlay Hints Duplicates > Emmet		Editor Don't copy/cut current line when Copy or Cut action is invoked with no selection Render special characters (control codes, etc) using their Unicode name abbreviations			
GUI Designer Intentions > Language Injections		Tab character rendering: Left margin in distraction free mode: Specify -1 to use automatically calculated margin (centering the	Horizontal line -1	<b>v</b> pixels	
<ul> <li>&gt; Natural Languages</li> <li>Reader Mode</li> <li>TextMate Bundles</li> <li>TODO</li> <li>Plugins</li> </ul>		editor) Force soft wrap in documents with lines longer than: Increasing this limit will negatively affect editor performance I Move caret down after Comment with Line Comment action		characters	
Version Control     Version Control     Build, Execution, Deployment     Languages & Frameworks     Tools     Advanced Settings     Spock		Editor Tabs When navigating to a file, prefer selecting existing tab in inactive split pane Open declaration source in the same tab When navigating to a method/class/variable declaration, the source file that contains the declaration will replace the current tab if there are no changes.			
?			ОК	K Cancel Apply	

For versions older than 2021.2:

Using Ctrl+Shift+A (or \*+Shift+A on Mac) type Registry once the registry windows is open, locate and enable compiler.automake.allow.when.app.running, see here:



## **Please follow both steps:**

### 1 - Enable Automake from the compiler

- Press: ctrl + shift + A (For Mac \* + shift + A)
- Type: make project automatically
- Hit: Enter
- Enable Make Project automatically feature

# 2 — Enable Automake when the application is running

• Press: ctrl + shift + A (For Mac \* + shift + A)

• Type: Registry

 Find the key compiler.automake.allow.when.app.running and enable it or click the checkbox next to it

Note: Restart your application now []

Note: This should also allow live reload with spring boot devtools.