

Arc Pie Demo



```
/*
GDI+ Programming in C# and VB .NET
by Nick Symmonds

Publisher: Apress
ISBN: 159059035X
*/
using System;
using System.Drawing;
using System.Drawing.Drawing2D;
using System.Collections;
using System.ComponentModel;
using System.Windows.Forms;
using System.Data;

namespace MIsc2D_c
{
    ///
    /// Summary description for MIsc2D.
    ///
    public class MIsc2D : System.Windows.Forms.Form
    {
        private System.Windows.Forms.Label label1;
        private System.Windows.Forms.Label label2;
        private System.Windows.Forms.Label label3;
        private System.Windows.Forms.ListBox listBox1;
       ///

        /// Required designer variable.
        ///
        private System.ComponentModel.Container components = null;

        public MIsc2D()
        {
```

```
//  
// Required for Windows Form Designer support  
//  
InitializeComponent();  
  
//  
// TODO: Add any constructor code after InitializeComponent  
call  
//  
}  
  
///  
  
/// Clean up any resources being used.  
///  
protected override void Dispose( bool disposing )  
{  
if( disposing )  
{  
if (components != null)  
{  
components.Dispose();  
}  
}  
base.Dispose( disposing );  
}  
  
#region Windows Form Designer generated code  
///  
  
/// Required method for Designer support – do not modify  
/// the contents of this method with the code editor.  
///  
private void InitializeComponent()  
{  
this.label1 = new System.Windows.Forms.Label();  
this.label2 = new System.Windows.Forms.Label();  
this.label3 = new System.Windows.Forms.Label();  
this.listBox1 = new System.Windows.Forms.ListBox();
```

```
this.SuspendLayout();
//
// label1
//
this.label1.Location = new System.Drawing.Point(40, 280);
this.label1.Name = "label1";
this.label1.Size = new System.Drawing.Size(160, 16);
this.label1.TabIndex = 0;
//
// label2
//
this.label2.Location = new System.Drawing.Point(40, 296);
this.label2.Name = "label2";
this.label2.Size = new System.Drawing.Size(160, 16);
this.label2.TabIndex = 1;
//
// label3
//
this.label3.Location = new System.Drawing.Point(40, 312);
this.label3.Name = "label3";
this.label3.Size = new System.Drawing.Size(160, 16);
this.label3.TabIndex = 2;
//
// listBox1
//
this.listBox1.Location = new System.Drawing.Point(24, 200);
this.listBox1.Name = "listBox1";
this.listBox1.Size = new System.Drawing.Size(192, 69);
this.listBox1.TabIndex = 3;
//
// MIsC2D
//
this.AutoScaleBaseSize = new System.Drawing.Size(5, 13);
this.ClientSize = new System.Drawing.Size(292, 373);
this.Controls.AddRange(new System.Windows.Forms.Control[] {
this.listBox1,
this.label3,
```

```
this.label2,
this.label1});
this.Name = "MIsC2D";
this.StartPosition = System.Windows.Forms.FormStartPosition.CenterScreen;
this.Text = "MIsC2D";
this.Load += new System.EventHandler(this.MIsC2D_Load);
this.ResumeLayout(false);

}
#endregion

/// 

/// The main entry point for the application.
///
[STAThread]
static void Main()
{
Application.Run(new MIsC2D());
}

private void MIsC2D_Load(object sender, System.EventArgs e)
{

}

protected override void OnPaint(PaintEventArgs e)
{
Graphics G = e.Graphics;

GraphicsPath p = new GraphicsPath();
PointF[] pts = { new PointF(50, 50),
new PointF(150, 25),
new PointF(200, 50)};
p.AddCurve(pts);
p.AddRectangle(new Rectangle(60, 60, 50, 50));
p.AddPie(100, 100, 80, 80, 0, 35);
G.DrawPath(Pens.Black,p);
```

```
GraphicsPathIterator iter = new GraphicsPathIterator(p);
label1.Text = "Num pts in path = " + iter.Count.ToString();
label2.Text = "Num subpaths in path = " +
iter.SubpathCount.ToString();
label3.Text = "Path has curve = " +
iter.HasCurve().ToString();

int StartIndex;
int EndIndex;
int i;
bool IsClosed;
// Rewind the Iterator.
iter.Rewind();
// List the Subpaths.
for(i=0;i
```