

# Create MD5 Hash

```
////////////////////////////////////  
////////////////////////////////////  
//  
// This File is Part of the CallButler Open Source PBX  
// (http://www.codeplex.com/callbutler  
//  
// Copyright (c) 2005-2008, Jim Heising  
// All rights reserved.  
//  
// Redistribution and use in source and binary forms, with or  
// without modification,  
// are permitted provided that the following conditions are  
// met:  
//  
// * Redistributions of source code must retain the above  
// copyright notice,  
// this list of conditions and the following disclaimer.  
//  
// * Redistributions in binary form must reproduce the above  
// copyright notice,  
// this list of conditions and the following disclaimer in the  
// documentation and/or  
// other materials provided with the distribution.  
//  
// * Neither the name of Jim Heising nor the names of its  
// contributors may be  
// used to endorse or promote products derived from this  
// software without specific prior  
// written permission.  
//  
// THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND  
// CONTRIBUTORS "AS IS" AND  
// ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
```

```
LIMITED TO, THE IMPLIED
// WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED.
// IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT,
// INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT
// NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR
// PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY,
// WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE)
// ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE
// POSSIBILITY OF SUCH DAMAGE.
```

```
//
```

```
////////////////////////////////////
////////////////////////////////////
```

```
using System;
using System.Security.Cryptography;
using System.Text;
using System.Globalization;
using System.IO;
```

```
namespace WOSI.Utilities
```

```
{
```

```
///
```

```
/// Summary description for CryptoUtils.
```

```
///
```

```
public class CryptoUtils
```

```
{
```

```
public static string CreateMD5Hash(string stringToHash)
```

```
{
```

```
MD5CryptoServiceProvider md5 = new MD5CryptoServiceProvider();
```

```
byte[] hashValue =
md5.ComputeHash(System.Text.Encoding.Unicode.GetBytes(stringTo
Hash));

StringBuilder hexString = new StringBuilder(32);

for(int index = 0; index < hashValue.Length; index++) {
hexString.AppendFormat(CultureInfo.InvariantCulture, "{0:x2}",
hashValue[index]); } return hexString.ToString(); } } }
[/csharp]
```